CATTLE COUNTRY VIDEO VAC PROTOCOL

CCV	Zoetis	Boehringer Ingelheim	Merck
CCV 24	PreVac	Prime Series	Prime Vac 24
Branding 2 to 4 months	Branding	Branding	Branding
RESPIRATORY PROTECTION IBR-PI3-BVD-BRSV (Modified Live)	BoviShield Gold 5 BoviShield Gold One Shot Inforce 3 Cattlemaster Gold 5	Pyramid 5 + Presponse SQ Pyramid 5	Vista Once SQ or a combination of Naselgen 3 Once PMH IN Once PMH SQ Vista BVD CFP Vista 5 SQ Nasalgen 3 PMH
CLOSTRIDIAL PROTECTION Clostridial 7-Way (Black Leg)	One Shot Ultra 7 or 8 Ultrachoice 7 or 8 UltraBac 7	 Alpha 7 Caliber 7 BarVac 7 w/ Somnus 	Select One Vision 7 Vision 8 20/20 Vision Vision 7 Somnus Vision 8 Somnus Piliguard Pinkeye+7 Calvary 9 Covexin 8
Optional Parasite Control	Dectomax (optional)	Ivomec Eprinex Long Range	Safe Guard - (Recommended) Panacur - (Recommended) Ultra Boss Pour On - (Recommended) Ultra Saber Pour On - (Recommended)
CCV 34	PreVac+	Prevent Series	Prime Vac 34 Premium
Calves Vac 2 to 6 weeks prior to Weaning/Delivery (Booster to Vac 24)	2 to 6 weeks prior to shipping (must administer at this time)	Prime Series + Vac 2 to 6 weeks prior to Shipping or Weaning	Calves are vaccinated twice: Administer the first vaccines at branding; The second vaccination occurs 2 to 4 weeks prior to shipping
RESPIRATORY PROTECTION IBR-PI3-BVD-BRSV (Modified Live) 2 rounds	 BoviShield Gold 5 BoviShield Gold One Shot Inforce 3 Cattlemaster Gold 5 	 Pyramid 5 + Presponse SQ Pyramid 5 	2 Doses Required Vista Once SQ or a combination of Naselgen 3 Once PMH IN Once PMH SQ Vista BVD CFP Vista 5 SQ Nasalgen 3 PMH
CLOSTRIDIAL PROTECTION Clostridial 7-Way	One Shot Ultra 7 or 8 Ultrachoice 7 or 8 UltraBac 7	Caliber 7 BarVac 7 w/ Somnus	Select One (2 doses required) Vision 7 Vision 8 20/20 Vision Vision 7 Somnus Vision 8 Somnus Piliguard Pinkeye+7 Calvary 9 Covexin 8
Mannheimia Haemolytica &/or Pasteurella Multocida	 One Shot One Shot Ultra 7 or 8 One Shot BVD BoviShield Gold One Shot 	Presponse SQ Presponse HM	Once PMH IN Once PMH SQ
Optional Parasite Control	Dectomax (optional)	Ivomec Eprinex Long Range	 Safe Guard - (Recommended) Panacur - (Recommended) Ultra Boss Pour On - (Recommended) Ultra Saber Pour On - (Recommended)
CCV 45	WeanVac	Protect Series	Prime Vac 45
Weaned 45 Days: 2 rounds of Modified Live: 2 rounds of 7 or 8-way; 1 Pasteurella	Must be weaned 45 days. Two doses of 5-way viral & 7 or 8-way clostridial are required & second dose should be given at or near weaning. Second dose of One Shot Pasteurella is optional. One dose of Dectomax wormer is required.	Prime Series + Pre Weaning Shots & Boosters 2 to 6 weeks later. Weaned 45 days.	For home-raised calves weaned a minimum of 45 days prior to delivery. Calves are vaccinated twice: Administer the first vaccines at branding. Administer the first vaccines prior to or at weaning: Revaccinate 3 - 6 weeks later
RESPIRATORY PROTECTION IBR-PI3-BVD-BRSV (Modified Live)	 BoviShield Gold 5 BoviShield Gold One Shot Inforce 3 Cattlemaster Gold 5 	Pyramid 5 (Presponse SQ optional on this series)	2 Doses Required Vista Once SQ or a combination of Naselgen 3 Once PMH IN Once PMH SQ Vista BVD CFP Vista 5 SQ Nasalgen 3 PMH
CLOSTRIDIAL PROTECTION Clostridial 7-Way (if not administered at CCV 34)	One Shot Ultra 7 or 8 Ultrachoice 7 or 8 UltraBac 7	Caliber 7 BarVac 7 w/ Somnus	Select One (2 doses required) Vision 7 Vision 8 20/20 Vision Vision 7 Somnus Vision 8 Somnus Piliguard Pinkeye+7 Calvary 9 Covexin 8
Mannheimia Haemolytica &/or Pasteurella Multocida	 One Shot One Shot Ultra 7 or 8 One Shot BVD BoviShield Gold One Shot 	Presponse SQ Presponse HM	Once PMH IN Once PMH SQ
Parasite Control - Required	• Dectomax	Ivomec Eprinex Long Range	Internal - Required At PreWeaning or Weaning Processing Safe-Guard or Panacur External - Required At PreWeaning or Weaning Processing UltraBoss or Ultra Saber Pour On
CCV Grass			
RANCH RAISED		PURCHASED	