

CATTLE COUNTRY VIDEO VAC PROTOCOL

CCV	Zoetis	Boehringer Ingelheim	Merck
CCV 24	PreVac+	Prime Series	Prime Vac 24
<i>Branding 2 to 4 months</i>	<i>Branding</i>	<i>Branding</i>	<i>Branding</i>
IBR-PI3-BVD-BRSV (Modified Live)	<ul style="list-style-type: none"> BoviShield Gold 5 BoviShield Gold One Shot Inforce 3 Cattlemaster Gold 5 	<ul style="list-style-type: none"> Pyramid 5 + Presponse SQ Pyramid 5 	<ul style="list-style-type: none"> Vista Once SQ Vista 5 SQ
Clostridial 7-Way (Black Leg)	<ul style="list-style-type: none"> One Shot Ultra 7 or 8 Ultrachoice 7 or 8 UltraBac 7 	<ul style="list-style-type: none"> Alpha 7 Caliber 7 BarVac 7 w/ Somnus 	<ul style="list-style-type: none"> Vision 7 or 8 Vision 7 or 8 w/ Somnus Calvary 9
Optional Parasite Control	<ul style="list-style-type: none"> Dectomax (optional) 	<ul style="list-style-type: none"> Ivomec Eprinex Long Range 	<ul style="list-style-type: none"> Safe Guard - (Recommended) Panacur - (Recommended) Ultra Boss Pour On - (Recommended) Ultra Saber Pour On - (Recommended)
CCV 34	PreVac+	Prevent Series	Prime Vac 34 Premium
<i>Calves Vac 2 to 6 weeks prior to Weaning/Delivery (Booster to Vac 24)</i>	<i>2 to 6 weeks prior to shipping (must administer at this time)</i>	<i>Prime Series + Vac 2 to 6 weeks prior to Shipping or Weaning</i>	<i>Calves are vaccinated twice: Administer the first vaccines at branding; The second vaccination occurs 2 to 4 weeks prior to shipping</i>
IBR-PI3-BVD-BRSV (Modified Live) 2 rounds	<ul style="list-style-type: none"> BoviShield Gold 5 BoviShield Gold One Shot Inforce 3 Cattlemaster Gold 5 	<ul style="list-style-type: none"> Pyramid 5 + Presponse SQ Pyramid 5 	<ul style="list-style-type: none"> Vista Once or Vista 5 SQ Once PMH IN Once PMH SQ
Clostridial 7-Way	<ul style="list-style-type: none"> One Shot Ultra 7 or 8 Ultrachoice 7 or 8 UltraBac 7 	<ul style="list-style-type: none"> Caliber 7 BarVac 7 w/ Somnus 	<ul style="list-style-type: none"> Vision 7 or 8 Vision 7 or 8 w/ Somnus Calvary 9 20/20 Vision 7
Mannheimia Haemolytica &/or Pasteurella Multocida	<ul style="list-style-type: none"> One Shot One Shot Ultra 7 or 8 One Shot BVD BoviShield Gold One Shot 	<ul style="list-style-type: none"> Presponse SQ Presponse HM 	<ul style="list-style-type: none"> Once PMH IN Once PMH SQ
Optional Parasite Control	<ul style="list-style-type: none"> Dectomax (optional) 	<ul style="list-style-type: none"> Ivomec Eprinex Long Range 	<ul style="list-style-type: none"> Safe Guard - (Recommended) Panacur - (Recommended) Ultra Boss Pour On - (Recommended) Ultra Saber Pour On - (Recommended)
CCV 45	WeanVac	Protect Series	Prime Vac 45
<i>Weaned 45 Days: 2 rounds of Modified Live: 2 rounds of 7 or 8-way; 1 Pasteurella</i>	<i>Must be weaned 45 days. Two doses of 5-way viral & 7 or 8-way clostridial are required & second dose should be given at or near weaning. Second dose of One Shot Pasteurella is optional. One dose of Dectomax wormer is required.</i>	<i>Prime Series + Pre Weaning Shots & Boosters 2 to 6 weeks later. Weaned 45 days.</i>	<i>For home-raised calves weaned a minimum of 45 days prior to delivery. Calves are vaccinated twice: Administer the first vaccines at branding. Administer the first vaccines prior to or at weaning; Revaccinate 3 - 6 weeks later</i>
IBR-PI3-BVD-BRSV (Modified Live)	<ul style="list-style-type: none"> BoviShield Gold 5 BoviShield Gold One Shot Inforce 3 Cattlemaster Gold 5 	<ul style="list-style-type: none"> Pyramid 5 (Presponse SQ optional on this series) 	Three Doses Required 1st Vac @ Branding - 2nd @ PreWeaning If 2nd Vac @ weaning: Vista Once SQ or Vista 5 SQ 3rd Vac 3 to 6 weeks Later: Vista 5 SQ
Clostridial 7-Way (if not administered at CCV 34)	<ul style="list-style-type: none"> One Shot Ultra 7 or 8 Ultrachoice 7 or 8 UltraBac 7 	<ul style="list-style-type: none"> Caliber 7 BarVac 7 w/ Somnus 	<ul style="list-style-type: none"> Vision 7 or 8 Vision 7 or 8 w/ Somnus Calvary 9
Mannheimia Haemolytica &/or Pasteurella Multocida	<ul style="list-style-type: none"> One Shot One Shot Ultra 7 or 8 One Shot BVD BoviShield Gold One Shot 	<ul style="list-style-type: none"> Presponse SQ Presponse HM 	<ul style="list-style-type: none"> Once PMH IN Once PMH SQ
Parasite Control - Required	<ul style="list-style-type: none"> Dectomax 	<ul style="list-style-type: none"> Ivomec Eprinex Long Range 	Internal - Required At PreWeaning or Weaning Processing Safe-Guard or Panacur External - Required At PreWeaning or Weaning Processing UltraBoss or Ultra Saber Pour On
CCV Grass			
RANCH RAISED		PURCHASED	
IBR-PI3-BVD-BRSV (Modified Live) 2 rounds recommended (Any animal that qualifies for CCV 34 or CCV 45 automatically qualifies)		IBR-PI3-BVD-BRSV (Modified Live or Chemically altered only)	
Clostridial 7-Way (administered anytime in previous 7 months)		Clostridial 7-Way - if history is known	
Parasite Control - Required		Parasite Control - Required	

**Some products or manufacturers may not be represented in this table.
Please contact your rep to see if your Vaccination Protocols Qualify you for CCV Programs.**